



**THIS IS NOT A SURVEY. ALL PROPERTY LINES/BOUNDARIES HAVE BEEN DEMONSTRATED BY THE OWNER(S) AND/OR THEIR AGENT(S).**

- \* INSTALLER MUST VERIFY THAT WATER LINE LOCATION AT TIME OF INSTALL MEETS ALL CODES/SETBACKS
- \* IT IS THE RESPONSIBILITY OF OWNER/REPRESENTING AGENT TO PROVIDE TO ACME IN WRITING ANY AND ALL INFORMATION PERTINENT TO THE DEVELOPMENT OF SEPTIC FEASIBILITY AND/OR DESIGN INCLUDING ALL GRAY/BLACK WATER STUB OUTS, UTILITY LOCATIONS, PROPERTY DIMENSIONS, DIMENSIONS, EASEMENTS, BUFFERS AND SETBACKS REQUIRED BY GOVERNING OR REGULATING ENTITIES
- \* DRY WEATHER INSTALLATION AND SITE PREP REQUIRED.
- \* PROTECT PRIMARY AND RESERVE DRAINFIELD AREAS FROM ANY VEHICLE TRAFFIC.
- \* NO FOUNDATION SPOILS OR BURNING ON DRAINFIELD AREAS.
- \* DUE TO UNFORESEEN WATER TABLES, A CURTAIN DRAIN MAY BE REQUIRED.
- \* DEPENDING UPON FINAL ELEVATIONS, A PUMP MAY BE REQUIRED.
- \* DIRECT ALL DOWNSPOUT/SURFACE WATER AWAY FROM DRAINFIELD AREAS.
- \* IF DF LATERALS OR MODULES ARE DEPICTED, THEY ARE APPROXIMATE AND MAY VARY, PROVIDED THEY REMAIN IN THE DELINEATED DF AREA.
- \* ALL WELLS WITHIN 100 FEET OF PROP. BOUNDARIES HAVE BEEN SHOWN (200' FOR CLASS-B WAIVER).
- \* EXCEPT FOR THE DISPERSAL COMPONENT, ALL SEPTIC COMPONENTS MUST BE WATERTIGHT TO SURFACE.
- \* WATER LINE MUST BE A MINIMUM OF 10' FROM ANY SEPTIC COMPONENT.
- \* MAINTAIN A MINIMUM 50' SETBACK DOWNSLOPE OF L-PITS. MINIMUM OF 10' SETBACK UPSLOPE OF L-PITS.
- \* SEED AND MULCH FINAL DRAINFIELD COVER IMMEDIATELY UPON COMPLETION.
- \* DEPENDING ON THE TYPE OF ATU USED, A TRASH TRAP MAY BE REQUIRED.
- \* LATERALS MAY BE NO CLOSER THAN 5' ON CENTER.
- \* IF WATER AND SEWER LINES CROSS, THEY MUST BE CONSTRUCTED IAW STATE & COUNTY CODE.

Dispersion Trench  
WILL BE INSTALLED  
IAW Brochure #52  
UTILIZING INFILTRATORS

#### LEGEND

- SOIL LOG
- NO BUILD ZONE
- CLEARING LIMITS
- LOW AREAS
- TREES > 12" DIA

- ① = CLEAN OUT
- ② = 1000-GAL SEPTIC TANK
- ③ = 1000-GAL PUMP TANK
- ④ = SPLITTER

## ACME DESIGN

DATE- 9 DECEMBER 2019

NAME- WHEELER/FINK

TAX ID- 312402-4-002-1001

STREET- WEST LUDVICK LAKE DR

SCALE: 1"=50'

INSET

P.O. BOX 2954  
SILVERDALE, WA.  
98383

TEL. 360-698-8488  
INFO@ACMSEPTIC.COM



