

SPECIAL INSPECTIONS:

SPECIAL INSPECTIONS OF PILE INSTALLATIONS SHALL BE CONTINUOUS & PERFORMED ACCORDING TO UES ER 289, SECTION 3.4. INSPECTION SCHEDULE SHALL CONSIST OF VERIFYING AND DOCUMENTING PILE AND BRACKET NUMBERS ON SITE, FOLLOWED BY OBSERVATION OF THE FIRST INSTALLATION'S LOCATION, EMBEDMENT DEPTH, AND FINAL INSTALLATION TORQUE VALUE, CORRELATED TO THE REQUIRED DESIGN LOAD. ON-SITE LOG BOOK FOR REMAINING INSTALLATIONS WILL BE VERIFIED. A FINAL INSPECTION OF THE INSTALLED REMAINING PILES AND LOG BOOK DATA WILL BE DOCUMENTED IN A BRIEF LETTER SUBMITTED TO THE BUILDING AUTHORITY.

BACKFILL

(E) GRADE

3' (MAX)
(FIELD VERIFY)

FOOTING BEYOND

CHIP OUT POCKET IN (E) FOOTING
FLUSH WITH FDN WALL. POCKET
WIDTH TO MATCH BRACKET WIDTH

STANDARD BRACKET
(SUPPORTWORKS P/N FSS288BL)

3 1/2"Ø X 48" GUIDE SLEEVE
(SUPPORTWORKS P/N FSS288ES48)

2 7/8"Ø EXTENSIONS
(SUPPORTWORKS P/N PP288)

2 7/8"Ø STARTER (P/N PP288) W/
3 1/2"Ø FRICTION REDUCTION
COLLAR

NOTE: PUSH PIER EMBEDMENT SHALL
BE 8'-0" MIN INSTALLED TO ACHIEVE
2X DESIGN LOAD NOTED ON THE
FOUNDATION PLAN.

115' +/-

95' +/-

9781 ENCHANTMENT AVE NW
SILVERDALE, WA

AREA OF REPAIR

30' +/-

EROSION CONTROL BARRIER

35' +/-


PROPERTY LINE

ENCHANTMENT AVE NW

NW DISCOVERY RIDGE CT

[illegible]

Reviewed for code compliance
with IRC 2015
Kitsap County Building Department
PQuiriar@co.kitsap.wa.us
10/27/2020



STARK
FOUNDATIONS

4001 MAIN STREET
SUITE 305
VANCOUVER, WA 98663
P: 360.566.7343

CLIENT:

**TERRAFIRMA
FOUNDATION SYSTEM**

13110 SW WALL STREET
PORTLAND, OR 97223
P: 866.486.7196

PROJECT: FOUNDATION REPAIR
9781 ENCHANTMENT AVE NW
SILVERDALE, WASHINGTON

REVISIONS:

DRAWING TITLE:

FOUNDATION REPAIR PLAN

SCALE:

SEE PLAN

DATE: _____

10/16/20

SHEET NO:

S1

Validity of permit. The issuance or granting of a permit shall not be construed to be a permit for, or an approval of, any violation of any of the provisions of the International Codes or any other ordinance of Kitsap County. Permits presuming to give authority to violate or cancel the provisions of the International Codes and ordinances of Kitsap County shall not be valid. IBC & IRC 105

Permit Number: 20-02834