

LEGEND

10' NO BUILD

SOIL LOG

BUILDING ENVELOPE

SETBACK

EXISTING SEPTIC COMPONENT

TREE

(A) CLEAN OUT

(B) RECIRCULATION TANK

(C) CLARIFIER / PUMP TANK

(D) REVERSE FLUSH HEADWORKS

(E) LOWFLOW COIL 500 GPD

(F) FLOW METER

(G) OSCAR HEADWORKS

Kitsap County DCD
Approved Site Plan
See Permit for Conditions

LOT H DETAIL

100% PRIMARY AREA
33' X 36.5' OSCAR,
TOTAL 1,200 SQFT

100% RESERVE AREA
33' X 36.5' = 1,200 SQFT
(OSCAR)

EASEMENT FOR LOT G

Nathan Cleaver Septic Design, Inc.

Phone: (360) 598-6546, Fax: 360-598-6548

262 NW Thompson Road, Poulsbo, WA 98370

E-mail: nathan@nathancleaver.com

CUSTOMER: KITSAP LUXURY HOMES

DUANE E AUPPERLE

TAX ID #: 032401-1-126-2001

PROPOSED LOT H

LOCATION: 359 NW RUTH LANE, BREMER TON

DRAWN BY: ICS

DESIGN BY: NATHAN N. CLEAVER

DATE: 30 AUG 2017, REV: 15 OCT 2017, REV: 26 JUN 2018

NOTES:

- 1. THE TANK LOCATIONS CAN BE CHANGED / ALTERED AS LONG AS ALL OF THE APPLICABLE SETBACKS ARE MAINTAINED. *BE SURE TO CHECK WITH THE DESIGNER FOR APPROVAL. PRIOR TO ANY & ALL CHANGES TO ENSURE PROPER OPERATION & FUNCTIONALITY IS RETAINED.
- 2. ALL WATER LINES TO MAINTAIN ≥10' SETBACK TO ALL SEPTIC COMPONENTS.

REVISED

RECEIVED

AUG 17 2020

APPROVED

FOR SEWAGE AND WATER ONLY

BASED ON SURVEY / DRAWING BY:
MICHAEL F. WNEK - PROFESSIONAL ENGINEER
KITSAP LUXURY HOMES SHORT PLAT 7393:
REVISION DATE: 03-08-2017

SCALE: 1" = 20'
THIS IS NOT A SURVEY

Permit Number: 20-03705